



# The Diagnostic Heart Center of ST. LUKE'S



Pat: ARMATTA, BETH  
ID: 5295 DOS: 01/27/11  
DOB: 10/26/62 AGE: 48  
Phone: (832) 703-7215  
Dr: FEGHALI, SAYED

## Coronary Angiography

DATE 1-27-2011

SEX F AGE 48

### RECOMMENDATIONS:



EF \_\_\_\_%

### FINDINGS:

Successful PCT  
of mid RCA

### DIAGNOSIS:

### SIGNATURE:

*[Signature]*

### HEMODYNAMICS

### SAT%

RA: a: 5 v: 3 x: 4 76.8%

RV: 35 / 5

PA: 28 / 8 x: 15 75.7%

PCP: a: 11 v: 9 x: 5

AO: 110 / 60 x: 75

LV: \_\_\_\_ / EDP \_\_\_\_

☐ TD ☐ Fick CO: 7.26 CI: 5.03 BSA: 1.84

## DISCHARGE INSTRUCTIONS

Pat: ARMATTA, BETH  
ID: 5295  
DOB: 10/26/62  
Phone: (832) 703-7215  
Dr: FEGHALI, SAYED  
DOS: 01/27/11  
AGE: 48

### Printed Instruction Sheet(s) Given to Patient:

- ☒ Vascular Closure
- ☐ TR Band Discharge Instructions

### Activity:

- ☒ Rest in bed or recliner today.
- ☒ Hold pressure to groin site when coughing, laughing, sneezing, urinating or having a bowel movement for 24 hours.
- ☒ Do not drive today. A responsible person **must** drive you home.
- ☒ Avoid any strenuous exercise of the limb where your procedure was done for three days.
- ☒ No lifting 10 pounds or more for three days.

*3 until Monday*

### Food/Fluids:

- ☒ Continue to drink plenty of fluids (4-6 glasses) for the next 24 <sup>48</sup> hours.
- ☒ Resume your normal diet, unless otherwise instructed by your physician.
- ☒ Low cholesterol diet
- ☒ Low Fat diet
- ☐ Low Sodium diet

### Dressing/Procedure Site Care:

- ☒ Take your entire dressing off tomorrow morning.
- ☒ Take a shower tomorrow. Get dressing wet prior to removing, gently remove dressing. Wash the site with soap and water. **Do not** take a tub bath or get in a whirlpool until the site heals, usually 3-5 days.
- ☒ Apply a Band-Aid ~~only~~ if needed.
- ☒ Avoid using lotions/powders on the procedure site until it is completely healed.

### Pain Management:

- ☐ Take the prescribed pain medication \_\_\_\_\_ as prescribed by your doctor.
- ☐ You can take Tylenol if necessary for discomfort at the procedure site.

### Medications:

- ☒ Resume all medications
- ☐ Resume glucophage/glucoavance \_\_\_\_\_
- ☐ Resume blood thinners \_\_\_\_\_
- ☒ Begin new prescription(s) *Plavix tomorrow*

Call your doctor *Feghali* at *213 797-0200* if:

- ☒ You have bleeding at the procedure site. If this occurs, lie down, place your hand directly over the site and apply pressure until the bleeding stops (at least 15 minutes). If bleeding continues, call 911.
- ☒ You have numbness/tingling/coldness in the extremity of the procedure site.
- ☒ You have increased pain or swelling at the procedure site.
- ☒ You develop a fever.
- ☒ You have nausea and/or vomiting.
- ☒ You develop a rash.
- ☒ You feel chest pain or pressure, shortness of breath, or irregular heart beats or palpitations.
- ☒ You feel dizziness or faint.

### Follow-up:

- ☒ Call your physician for a follow-up appointment *for in 1-2 weeks*
- ☐ Other instructions: \_\_\_\_\_

*Ben Armatta*  
Signature Patient / Family

*J. Kubyk*  
Signature RN

**Please carry this card at all times.  
Show it to any medical personnel who  
may be treating you.**

**PLEASE CARRY THIS CARD AT ALL TIMES.** The Guidant Multi-Link VISION® family of coronary stents has been shown in non-clinical testing to be MRI safe immediately following implantation. MRI test conditions used to evaluate this stent were: for magnetic field interactions, a static magnetic field strength of 3 tesla with a maximum spatial gradient magnetic field of 3.3 tesla/meter; for MRI-related heating, a maximum whole body averaged specific absorption rate (SAR) of 2.0 W/kg for 15 minutes of MR imaging. While a single stent produced a temperature rise of less than 0.6°C and should not migrate under these conditions, the response of overlapping stents or stents with fractured struts is unknown. Non-clinical testing has not been performed to rule out the possibility of stent migration at field strengths.

### Stent Patient Implant Card

ARMATTA, BETH 10-26-62  
Patient Name Date of Birth

DR. Feghali 713-797-0200  
Implanting Physician's Name Phone Number

DIAGNOSTIC HEART CENTER OF ST. LUKE  
Hospital Name

HOUSTON TEXAS 1-27-2011  
City/State Date of Implant

### Stent Identification Information

<b>MULTI-LINK VISION</b> 3.5 mm x 18 mm REF 1010144-18 LOT 8051331 01W	Affix Product Label Here or complete:	Affix Product Label Here or complete:	Affix Product Label Here or complete:
	Product Part # (REF)	Product Part # (REF)	Product Part # (REF)
	Product Lot #	Product Lot #	Product Lot #
Location of First Stent <u>RCA</u>	Location of Second Stent	Location of Third Stent	Location of Fourth Stent